

PRODUCT INFORMATION & LANDSCAPES SEPTEMBER 2017





## LAWN MOWERS PUSH





## LM2001E

#### **POLY DECK PUSH MOWER**

















#### **SPECIFICATION**

	LM2001E
CUTTING CAPACITY	49cm push
DECK MATERIAL	Poly
CUTTING HEIGHT	Central adjustment 25/35/50/65/80mm
CATCHER BAG CAPACITY	60 litre
FUNCTIONS	Mulch and collect
NOISE RATING	84 LpA 94 LwA
VIBRATION	1.2m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	26kg
RUN TIME	4.0Ah up to 45 mins 7.5Ah up to 75 mins

LM2001E (Kit)	€699.00
LM2000E (Bare product)	€499.00





## LM2011E

#### STEEL DECK PUSH MOWER















#### **SPECIFICATION**

	LM2011E
CUTTING CAPACITY	50cm push
DECK MATERIAL	Steel
CUTTING HEIGHT	Central adjustment 25/35/50/65/80/95mm
CATCHER BAG CAPACITY	60 litre
FUNCTIONS	Mulch, collect, side discharge
NOISE RATING	83 LpA 94 LwA
VIBRATION	1.6m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	25kg
RUN TIME	5.0Ah up to 40 mins 7.5Ah up to 65 mins

LM2011E (Kit)	€599.00





### LM2024E

#### STEEL DECK PUSH MOWER

















#### **SPECIFICATION**

	LM2024E
CUTTING CAPACITY	50cm push
MOTOR TYPE	Brushless
DECK MATERIAL	Steel
CUTTING HEIGHT	Central adjustment 25/35/50/65/80/95mm
CATCHER BAG CAPACITY	60 litre
FUNCTIONS	Mulch, collect, side discharge
NOISE RATING	84 LpA 96 LwA
VIBRATION	1.64m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	27kg
RUN TIME	6.0Ah up to 45 mins 7.5Ah up to 60 mins

LM2024E (Kit)	€799.00



## LAWN MOWERS SELF PROPELLED





ROBUST 50CM STEEL CUTTING DECK

## LM2014E-SP

#### STEEL DECK SELF PROPELLED MOWER

















REAR HANDLES for easy transport

#### **SPECIFICATION**

	LM2014E-SP
CUTTING CAPACITY	50cm self propelled
MOTOR TYPE	Brushed
DECK MATERIAL	Steel
CUTTING HEIGHT	Central adjustment 25/35/50/65/80/95mm
CATCHER BAG CAPACITY	60 litre
FUNCTIONS	Mulch, collect, side discharge
NOISE RATING	86 LpA 96 LwA
VIBRATION	1.1m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	28kg
RUN TIME	6.0Ah up to 35 mins 7.5Ah up to 45 mins

LM2014E-SP (Kit)	€799.00



### LM2024E-SP

#### STEEL DECK SELF PROPELLED MOWER



for easy transport













#### **SPECIFICATION**

	LM2024E-SP
CUTTING CAPACITY	50cm self propelled
MOTOR TYPE	Brushless
DECK MATERIAL	Steel
CUTTING HEIGHT	Central adjustment 25/35/50/65/80/95mm
CATCHER BAG CAPACITY	60 litre
FUNCTIONS	Mulch, collect, side discharge
NOISE RATING	84 LpA 96 LwA
VIBRATION	1.08m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	29.5kg
RUN TIME	6.0Ah up to 35 mins 7.5Ah up to 45 mins

LM2024E-SP (Kit)	€899.00
LM2020E-SP (Bare product)	€649.00



## LM2122E-SP

#### POLY DECK SELF PROPELLED MOWER

















#### **SPECIFICATION**

	LM2122E-SP
CUTTING CAPACITY	52cm self propelled
MOTOR TYPE	Brushless
DECK MATERIAL	Poly
CUTTING HEIGHT	Central Adjustment 28/38/52/64/80/94mm
CATCHER BAG CAPACITY	70 litre
FUNCTIONS	Mulch, collect
NOISE RATING	84 LpA 98 LwA
VIBRATION	1.0m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	28kg
RUN TIME	6.0Ah up to 40 mins 7.5Ah up to 50 mins

LM2122E-SP (Kit)	€999.00
LM2120E-SP (bare product)	€699.00



# CHAIN SAWS





## **CS1400E**

**CHAIN SAW** 















#### **SPECIFICATION**

	CS1400E
BLADE LENGTH	35cm, 14"
CHAIN TYPE	AC1400
CHAIN OIL	Automatic (150ml)
CHAIN TENSIONING	Tool free
MOTOR TYPE	Brushless
NOISE RATING	86 LpA 100 LwA
VIBRATION	5.4/4.1m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.7kg
RUN TIME	2.0Ah up to 100 cuts 4.0Ah up to 220 cuts 7.5Ah up to 450 cuts

CS1401E (Kit)	€329.00
CS1400E (Bare product)	€279.00





## **CS1600E**

**CHAIN SAW** 















#### **SPECIFICATION**

	CC1COOF
	CS1600E
BLADE LENGTH	40cm, 16"
CHAIN TYPE	AC1600
CHAIN OIL	Automatic (150ml)
CHAIN TENSIONING	Tool free
MOTOR TYPE	Brushless
NOISE RATING	85 LpA
	99 LwA
VIBRATION	3.0/3.2m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.86kg
	2.0Ah up to 100 cuts
RUN TIME	5.0Ah up to 300 cuts
	7.5Ah up to 450 cuts

CS1600E	€299.00



## **HEDGE TRIMMERS**





## HT2400E

**HEDGE TRIMMER** 


















#### **SPECIFICATION**

	HT2400E
BLADE LENGTH	61cm, 24"
CUTTING CAPACITY	22mm
SPEED CONTROL	Single speed
CUTTING ACTION	Dual action, single sided cutting
MOTOR TYPE	Brushless
NOISE RATING	83 LpA 94 LwA
VIBRATION	2.0/1.5m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.0kg
RUN TIME	2.0Ah up to 60 mins 4.0Ah up to 120 mins 7.5Ah up to 225 mins

HT2401E (Kit)	€279.00
HT2400 (Bare product)	€179.00



## HT5100E

**HEDGE TRIMMER** 




















#### **SPECIFICATION**

	HT5100E
BLADE LENGTH	51cm, 20"
CUTTING CAPACITY	33mm
SPEED CONTROL	Two speed
CUTTING ACTION	Dual action, double sided cutting
MOTOR TYPE	Brushless
NOISE RATING	79 LpA 92 LwA
VIBRATION	3.5/4.9m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.6kg
RUN TIME	2.0Ah up to 34 mins 5.0Ah up to 86 mins 7.5Ah up to 129 mins



## HT6500E

**HEDGE TRIMMER** 




















#### **SPECIFICATION**

	0. 20
	HT6500E
BLADE LENGTH	65cm, 26"
CUTTING CAPACITY	33mm
SPEED CONTROL	Two speed
CUTTING ACTION	Dual action, double sided cutting
MOTOR TYPE	Brushless
NOISE RATING	80 LpA 93 LwA
VIBRATION	4.5/5.1m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.8kg
RUN TIME	2.0Ah up to 30 mins 5.0Ah up to 75 mins 7.5Ah up to 113 mins

00



## LINE TRIMMERS





## ST1210E

**LINE TRIMMER** 















#### **SPECIFICATION**

	ST1210E
CUTTING WIDTH	30cm, 12"
LINE DIAMETER	2.0mm
SPEED CONTROL	Constant single speed
LINE FEED	Bump feed head
MOTOR TYPE	Brushed
NOISE RATING	75 LpA 91 LwA
VIBRATION	3.3/4.9m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	2.85kg
RUN TIME	2.0Ah up to 35 mins 4.0Ah up to 70 mins 7.5Ah up to 135 mins

ST1211E (Kit)	€279.00
ST1210E (Bare product)	€149.00



## ST1300E

















#### **SPECIFICATION**

	ST1300E
CUTTING WIDTH	33cm, 13"
LINE DIAMETER	2.0mm
SPEED CONTROL	Constant 2 speed
LINE FEED	Bump feed head
MOTOR TYPE	Brushless
NOISE RATING	71 LpA 91 LwA
VIBRATION	0.6/2.38m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	2.7kg
RUN TIME	2.0Ah up to 55 mins 5.0Ah up to 140 mins 7.5Ah up to 210 mins

ST1300E	€179.00



POWERFUL AND EFFICIENT BRUSHLESS MOTOR for improved performance

38CM, 15" CUTTING SWATHE WITH 2.4MM LINE DIAMETER

and run time

## ST1500E-F

**LINE TRIMMER** 

















for quick and easy line refilling

#### **SPECIFICATION**

	ST1500E-F
CUTTING WIDTH	38cm, 15"
LINE DIAMETER	2.4mm
SPEED CONTROL	Constant variable speed
LINE FEED	Rapid reload bump feed head
MOTOR TYPE	Brushless
NOISE RATING	71 LpA 91 LwA
VIBRATION	2.2/1.7m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.2kg
RUN TIME	2.0Ah up to 45 mins 5.0Ah up to 110 mins 7.5Ah up to 160 mins

ST1500E-F	€249.00



### BC1500E-F

**LINE TRIMMER** 

















#### **SPECIFICATION**

	BC1500E-F
CUTTING WIDTH	38cm, 15"
LINE DIAMETER	2.4mm
SPEED CONTROL	Constant variable speed
LINE FEED	Rapid reload bump feed head
MOTOR TYPE	Brushless
NOISE RATING	70 LpA 86 LwA
VIBRATION	4.3/2.9m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	3.85kg
RUN TIME	4.0Ah up to 45 mins 5.0Ah up to 110 mins 7.5Ah up to 160 mins

BC1500E-F	€279.00



## MST1500E-B

#### **BRUSH CUTTER AND LINE TRIMMER**















#### **SPECIFICATION**


	MST1500E-B
MOTOR TYPE	2000W Brushless
ROTATING DIRECTION	Counter clockwise
SPEED CONTROL	Constant variable speed with interlock
DRIVE SHAFT MATERIAL	Splined solid steel
DRIVE TUBE TYPE	Aluminium
WEIGHT WITHOUT BATTERY	2.7kg
CUTTING WIDTH  - THREE-SIDED BLADE  - LINE TRIMMER HEAD	30cm, 12" 38cm, 15"
LINE DIAMETER	2.4mm dual line
CUTTING HEAD	Rapid reload head
BLADE MATERIAL	Three sided reversible steel blade
SHAFT TYPE	Straight
TOTAL LENGTH	102cm
WEIGHT	1.82kg

MST1500E-B	€299.00



## BC3800E

#### **BRUSH CUTTER & LINE TRIMMER**





#### POWERFUL AND EFFICIENT **BRUSHLESS MOTOR**

for improved performance and run time

















#### **SPECIFICATION**

	BC3800E
CUTTING WIDTH  - THREE-SIDED BLADE  - LINE TRIMMER HEAD	30cm, 12" 38cm, 15"
LINE DIAMETER	2.4mm
BLADE MATERIAL	Three sided reversible steel blade
SPEED CONTROL	Constant variable speed
LINE FEED	Rapid reload bump feed head
MOTOR TYPE	Brushless
NOISE RATING	70 LpA 86 LwA
VIBRATION	4.3/2.9m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY  - THREE-SIDED BLADE 30CM  - LINE TRIMMER HEAD 38CM	4.54kg 4.43kg
RUN TIME	2.0Ah up to 30 mins 5.0Ah up to 50 mins 7.5Ah up to 65 mins



## LEAF BLOWERS





## LB4800E

#### HAND HELD LEAF BLOWER

















#### **SPECIFICATION**

	LB4800E
AIR VOLUME	Boost = 810m <sup>3</sup> /h High = 650m <sup>3</sup> /h Low = 420m <sup>3</sup> /h
MOTOR TYPE	Brushless
NOISE RATING	82 LpA 97 LwA
VIBRATION	1.1m/s <sup>2</sup>
WEIGHT WITHOUT BATTERY	2.3kg
RUN TIME	2.0Ah up to 60 mins (Low) 2.0Ah up to 18 mins (High) 2.0Ah up to 10 mins (Boost)

LB4801E (Kit)	€279.00
LB4800E (Bare product)	€179.00



## LB5300E

#### HAND HELD LEAF BLOWER















#### **SPECIFICATION**

	LB5300E
AIR VOLUME	Low = 440m <sup>3</sup> /h High = 675m <sup>3</sup> /h Boost = 900m <sup>3</sup> /h
MAX AIR SPEED	Low = 80km/h (22m/s) High = 136km/h (38m/s) Boost = 176km/h (49m/s)
MAX PROPULSIVE FORCE	16N
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
NOISE RATING	82 LpA 97 LwA
VIBRATION	1.35m/s²
RUN TIME	4.0Ah up to 120 mins (Low) 4.0Ah up to 35 mins (High) 4.0Ah up to 16 mins (Boost)

LB5300E	€199.00



## LB5750E

#### HAND HELD LEAF BLOWER













#### **SPECIFICATION**

	LB5750E
AIR VOLUME	Low = 440m <sup>3</sup> /h High = 977m <sup>3</sup> /h
MAX AIR SPEED	Low = 80km/h (22m/s) High = 212km/h (63m/s)
MAX PROPULSIVE FORCE	18N
WEIGHT WITHOUT BATTERY	2.2kg
MOTOR TYPE	Brushless
NOISE RATING	83 LpA 95 LwA
VIBRATION	1.4m/s <sup>2</sup>
RUN TIME	5.0Ah up to 150 mins (Low) 5.0Ah up to 18 mins (High)

LB5750E	€219.00



### **LB6000E**

**BACKPACK LEAF BLOWER** 















#### **SPECIFICATION**

	LB6000E
AIR VOLUME	Low = 440m <sup>3</sup> /h High = 850m <sup>3</sup> /h Boost = 1020m <sup>3</sup> /h
MAX AIR SPEED	Low = 80 km/h (22m/s) High = 160 km/h (45m/s) Boost = 192 km/h (54m/s)
MAX PROPULSIVE FORCE	19N
WEIGHT WITHOUT BATTERY	5.7kg
MOTOR TYPE	Brushless
NOISE RATING	83 LpA 97 LwA
VIBRATION	1.5m/s <sup>2</sup>
RUN TIME	5.0Ah up to 120 mins (Low) 5.0Ah up to 22 mins (High) 5.0Ah up to 15 mins (Boost)

LB6002E (Kit)	€499.00
LB6000E (Bare product)	€279.00





# **MULTI TOOL**









An extremely versatile system of tools that uses a single power unit to drive several attachments.

The benefits to the customer are that they only have to purchase a single power unit.

Attachments are then purchased depending on their individual needs.

#### **CURRENT ATTACHMENTS INCLUDE:**

- Edger
- Brush cutter
- Pole saw
- Line trimmer
- Hedge trimmer
- Extension pole
- Shoulder strap



## MHCC1002E









#### **SPECIFICATION**

	PH1400E
MOTOR TYPE	2000W Brushless
ROTATING DIRECTION	Counter clockwise
SPEED CONTROL	Constant variable speed with interlock
DRIVE SHAFT MATERIAL	Splined solid steel
DRIVE TUBE TYPE	Aluminium
WEIGHT WITHOUT BATTERY	2.7kg

MHCC1002E (Kit)	€749.00











#### **SPECIFICATION**

	PH1400E
MOTOR TYPE	2000W Brushless
ROTATING DIRECTION	Counter clockwise
SPEED CONTROL	Constant variable speed with interlock
DRIVE SHAFT MATERIAL	Splined solid steel
DRIVE TUBE TYPE	Aluminium
WEIGHT WITHOUT BATTERY	2.7kg

#### **PRICE**

MHSC2002E (Kit) €999.00	

HEDGE TRIMMER HTA2200



### PH1400E

#### **MULTI TOOL POWER HEAD**
















#### POWERFUL REAR Mounted motor

suitable for all EGO attachments



#### SHOULDER STRAP AP1500



#### **SPECIFICATION**

	PH1400E
MOTOR TYPE	2000W Brushless
ROTATING DIRECTION	Counter clockwise
SPEED CONTROL	Constant variable speed with interlock
DRIVE SHAFT MATERIAL	Splined solid steel
DRIVE TUBE TYPE	Aluminium
WEIGHT WITHOUT BATTERY	2.7kg

PH1400E	€249.00



## **EP7501**

#### **MULTI TOOL EXTENSION POLE**









#### **SPECIFICATION**

	STA1500E
TOTAL LENGTH	78cm
WEIGHT	0.64kg

EP7501	€99.00



## STA1500

#### MULTI TOOL LINE TRIMMER ATTACHMENT













#### SPLINED Drive Shaft

for easy assembly and disassembly

#### **SPECIFICATION**

	STA1500
CUTTING WIDTH	38cm, 15"
LINE DIAMETER	2.4mm dual line
CUTTING HEAD	Rapid reload head
SHAFT TYPE	Straight
TOTAL LENGTH	97cm
WEIGHT	1.59kg

STA1500E	€99.00



## **BCA1200**

#### **MULTI TOOL BRUSH CUTTER ATTACHMENT**











#### SPLINED Drive Shaft

for easy assembly and disassembly

#### **SPECIFICATION**

	BCA1200
CUTTING WIDTH	30cm, 12"
BLADE TYPE	3 Sided reversible steel blade
ARBOUR SIZE	25.4mm
BARRIER BAR	Yes (with power head)
LENGTH	102cm
WEIGHT	1.82kg

BCA1200E	€99.00



# HTA2000

#### **MULTI TOOL HEDGE TRIMMER ATTACHMENT**

















#### SPLINED Drive Shaft

for easy assembly and disassembly

#### **SPECIFICATION**

	HTA2000
BLADE LENGTH	51cm, 20"
CUTTING CAPACITY	26mm
BLADE MATERIAL AND TYPE	Double sided laser cutting steel blade
FIXED CUTTING ANGLES	12 cutting angles
TOTAL LENGTH	160cm/99cm folded
WEIGHT	2.7kg

HTA2000E	€219.00



# **PSA1000**

#### **MULTI TOOL POLE SAW ATTACHMENT**













# **SPECIFICATION**

	PSA1000
GUIDE BAR LENGTH	25cm, 10"
CHAIN PITCH/ GAUGE	1.1mm, 3/8"
MAX. CUTTING DIAMETER	200mm
OIL TANK CAPACITY	220ml
TOTAL LENGTH	142cm
WEIGHT	1.89kg

PSA1000E	€149.00



# EA0800


#### **MULTI TOOL EDGING ATTACHMENT**











#### **SPECIFICATION**

	EA0800
BLADE SIZE	20cm, 8"
CUTTING DEPTH	Up to 75mm
BLADE THICKNESS	3mm
DEBRIS GUARD MATERIAL	Aluminium with rubber skirt
TOTAL LENGTH	92cm
WEIGHT	2.26kg

EA0800E	€129.00




# BATTERIES & CHARGERS










POWER MANAGEMENT SYSTEM

prevents over-discharging and extends battery life

BATTERY RANGE - PERFORMANCE STATISTICS						
BATTERY		BA1120E	BA2240E	BA2800	BA3360	BA4200
CAPACITY (WH/AI	Н)	112/2.0	224/4.0	280/5.0	336/6.0	420/7.5
CHARGE TIMES	RAPID CHARGER	25 Minutes	30 Minutes	40 Minutes	45 Minutes	60 Minutes
CHANGE HIVES	STANDARD CHARGER	40 Minutes	80 Minutes	100 Minutes	115 Minutes	145 Minutes
WEIGHT		1.3kg	2.2kg	2.2kg	2.8kg	2.9kg
BATTERY PRICE		€99.99	€199.99	€249.99	€299.99	€379.00









#### LED CHARGING/ DIAGNOSTICS INDICATOR

constant feedback on battery status and recharge levels

#### CH5500E Rapid Charger



#### CHX5500E X-SERIES CHARGER

# RAPID MODE push button to activate rapid mode LE DI IN an

#### LED CHARGING/ Diagnostics Indicator

constant feedback on battery status and recharge levels



### **BAX1300**

**BACKPACK BATTERY** 





periods of use







#### **COMPATIBLE TOOLS**

BC3800E-F Brush Cutter
HT6500E Hedge Trimmer
HT5100E Hedge Trimmer
LB57500E Blower

#### **SPECIFICATION**

	BAX1300
CAPACITY	1299Wh at 56V rated
CONNECTION METHOD	Plug-in or Adapter (ADB1000)
MAX POWER	40A
BATTERY WEIGHT	7.8kg w/o harness
HARNESS	Detachable
WEATHERPROOF PROTECTION	IPX1
CHARGING	CH5500E and CHX5500E
RUN TIME	With LB5600E: ca. 1.5h With BC1500E: ca. 2.5h
CYCLE LIFE	Up to 1000 cycles

BAX1301 (Kit)	€1,219.00
BAX1300 (Bare product)	€1,149.00
AFH1300 Harness	€129.00
ADB1000 Adapter	€49.00



ADAPTER (ADB1000)

# BH1001

#### **BACKPACK HARNESS AND ADAPTER**









#### **SPECIFICATION**

	BH1000
CONNECTION METHOD	Quick plug-in and out for EGO commercial tools Adapter ADB1000 for EGO residential tools
COMPATIBLE BATTERY	1P, 2P, 3P portable batteries
CARRYING HANDLE	Yes
HIP PAD FOR BRUSH CUTTER	Quick attachable
UPRIGHT STAND STORAGE	Yes
WEIGHT WITHOUT BATTERY	2.2kg

	ADB1000
QUICK PLUG-IN AND OUT	Yes
COUNTERWEIGHT ADJUSTMENT	No
RUBBER MOULD PROTECTION	Yes
WEATHERPROOF	No
WEIGHT	0.57kg

BH1001	€129.00



# X SERIES





# **LBX6000**

#### **COMMERCIAL LEAF BLOWER**













#### **SPECIFICATION**

	LBX6000
AIR VOLUME	Max = 1079m <sup>3</sup> /h
MAX AIR SPEED	58m/s
MAX PROPULSIVE FORCE	20N
WEIGHT	2.7kg
MOTOR TYPE	Brushless
RUN TIME	70min. @1079m³/h 20N 1h 40min. @940m³/h 15N 2h 20min. @810m³/h 11N 3h 30min. @690m³/h 8N 5h 40min. @570m³/h 5N

LBX6000	€399.00



# HTX6500

**COMMERCIAL HEDGE TRIMMER** 



















#### **SPECIFICATION**

	HTX6500
BLADE LENGTH	65cm, 26"
CUTTING CAPACITY	33mm
SPEED CONTROL	Two speed
CUTTING ACTION	Dual action, double sided cutting
MOTOR TYPE	Brushless
WEIGHT	3.9kg
RUN TIME	5.1hrs w/BAX1500 Battery

HTX6500	€399.00



# BCX3800

#### **COMMERCIAL BRUSH CUTTER & LINE TRIMMER**



















for greater comfort and more compact storage

> CARBON FIBRE Drive Shaft

RAPID RELOAD HEAD and 3 sided brush cutter blade





#### **SPECIFICATION**

	BCX3800
CUTTING WIDTH  - THREE-SIDED BLADE  - LINE TRIMMER HEAD	30cm, 12" 38cm, 15"
LINE DIAMETER	2.4-3.0mm
BLADE MATERIAL	Three sided reversible steel blade
SPEED CONTROL	Constant variable speed
LINE FEED	Rapid reload bump feed head
MOTOR TYPE	Brushless
WEIGHT	6.5kg
RUN TIME - NO-LOAD W/ TRIMMER HEAD - NO-LOAD W/METAL BLADE	3.5hrs to 5.5hrs w/BAX1500 battery 7.0hrs to 9.0hrs w/BAX1500 battery

BCX3800	€449.00



# **BAX1500**

#### **COMMERCIAL BACKPACK BATTERY**









#### **COMPATIBLE TOOLS**

LBX6000 Blower
HTX6500 Hedge Trimmer
BCX3800 Brush Cutter

#### **SPECIFICATION**

	BAX1500
CAPACITY	1568Wh at 56V rated
CONNECTION METHOD	Adapter / Plug-in
BATTERY WEIGHT	9.04kg w/o harness
HARNESS	Detachable
WEATHERPROOF PROTECTION	IP66
CHARGING	CHX5500E
RUN TIME	TBC
CYCLE LIFE	Up to 1200

BAX1501 (Kit)	€1,399.00
BAX1500 (Battery only)	€1,329.00
AFH1500 Harness	€129.00
ADB1000 Adapter	€49.00



www.egopowerplus.com









